

Package ‘tensorflow’

June 14, 2018

Type Package

Title R Interface to 'TensorFlow'

Version 1.8

Description Interface to 'TensorFlow' <<https://www.tensorflow.org/>>, an open source software library for numerical computation using data flow graphs. Nodes in the graph represent mathematical operations, while the graph edges represent the multidimensional data arrays (tensors) communicated between them. The flexible architecture allows you to deploy computation to one or more 'CPUs' or 'GPUs' in a desktop, server, or mobile device with a single 'API'. 'TensorFlow' was originally developed by researchers and engineers working on the Google Brain Team within Google's Machine Intelligence research organization for the purposes of conducting machine learning and deep neural networks research, but the system is general enough to be applicable in a wide variety of other domains as well.

License Apache License 2.0

URL <https://github.com/rstudio/tensorflow>

BugReports <https://github.com/rstudio/tensorflow/issues>

SystemRequirements TensorFlow (<https://www.tensorflow.org/>)

Encoding UTF-8

LazyData true

Depends R (>= 3.1)

Imports config, jsonlite (>= 1.2), processx, reticulate (>= 1.5),
tfruns (>= 1.0), utils, yaml, rstudioapi (>= 0.7)

Suggests testthat, keras, tfestimators

RoxygenNote 6.0.1

NeedsCompilation no

Author JJ Allaire [aut, cre],
RStudio [cph, fnd],
Yuan Tang [aut, cph] (<<https://orcid.org/0000-0001-5243-233X>>),
Dirk Eddelbuettel [ctb, cph],

Nick Golding [ctb, cph],
 Tomasz Kalinowski [ctb, cph],
 Google Inc. [ctb, cph] (Examples and Tutorials)

Maintainer JJ Allaire <jj@rstudio.com>

Repository CRAN

Date/Publication 2018-06-14 13:41:41 UTC

R topics documented:

all_dims	2
evaluate	3
export_savedmodel	3
install_tensorflow	4
install_tensorflow_extras	5
parse_arguments	5
parse_flags	6
shape	7
tensorboard	7
tensorflow	8
tf	9
tfe_enable_eager_execution	9
tf_extract_opts	10
train	12
train_and_evaluate	12
use_session_with_seed	13
view_savedmodel	14
[.tensorflow.tensor	14
Index	17

all_dims	<i>All dims</i>
----------	-----------------

Description

This function returns an object that can be used when subsetting tensors with `[]`. If you are familiar with python, this is equivalent to the python Ellipsis `...`, (not to be confused with `...` in R).

Usage

```
all_dims()
```

Examples

```
## Not run:  
# in python, if x is a numpy array or tensorflow tensor  
x[..., i]  
# the ellipsis means "expand to match number of dimension of x".  
# to translate the above python expression to R, write:  
x[all_dims(), i]  
  
## End(Not run)
```

evaluate	<i>Evaluate a Model</i>
----------	-------------------------

Description

Evaluate a model object. See implementations in the [keras](#) and [tfestimators](#) packages.

Usage

```
evaluate(object, ...)
```

Arguments

object	An evaluable R object.
...	Optional arguments passed on to implementing methods.

Implementations

- [keras](#)
- [tfestimators](#)

export_savedmodel	<i>Export a Saved Model</i>
-------------------	-----------------------------

Description

Serialize a model to disk. See implementations in the [keras](#) and [tfestimators](#) packages.

Usage

```
export_savedmodel(object, export_dir_base, ...)
```

Arguments

object	An R object.
export_dir_base	A string containing a directory in which to export the SavedModel.
...	Optional arguments passed on to implementing methods.

Value

The path to the exported directory, as a string.

Implementations

- [keras](#)
- [tfestimators](#)

install_tensorflow	<i>Install TensorFlow and its dependencies</i>
--------------------	--

Description

Install TensorFlow and its dependencies

Usage

```
install_tensorflow(method = c("auto", "virtualenv", "conda", "system"),
  conda = "auto", version = "default", extra_packages = NULL,
  restart_session = TRUE)
```

Arguments

method	Installation method. By default, "auto" automatically finds a method that will work in the local environment. Change the default to force a specific installation method. Note that the "virtualenv" method is not available on Windows (as this isn't supported by TensorFlow). Note also that since this command runs without privilege the "system" method is available only on Windows.
conda	Path to conda executable (or "auto" to find conda using the PATH and other conventional install locations).
version	TensorFlow version to install. Specify "default" to install the CPU version of the latest release. Specify "gpu" to install the GPU version of the latest release. You can also provide a full major.minor.patch specification (e.g. "1.1.0"), appending "-gpu" if you want the GPU version (e.g. "1.1.0-gpu"). Alternatively, you can provide the full URL to an installer binary (e.g. for a nightly binary).
extra_packages	Additional Python packages to install along with TensorFlow.
restart_session	Restart R session after installing (note this will only occur within RStudio).

```
install_tensorflow_extras
```

Install additional Python packages alongside TensorFlow

Description

Install additional Python packages alongside TensorFlow

Usage

```
install_tensorflow_extras(packages, conda = "auto")
```

Arguments

packages	Python packages to install
conda	Path to conda executable (or "auto" to find conda using the PATH and other conventional install locations). Only used when TensorFlow is installed within a conda environment.

Details

This function requires a version of TensorFlow previously installed via the [install_tensorflow\(\)](#) function.

For virtualenv and conda installations, the specified packages will be installed into the "r-tensorflow" environment. For system installations on Windows the specified packages will be installed into the system package library.

```
parse_arguments
```

Parse Command Line Arguments

Description

Parse command line arguments of the form `--key=value` and `--key value`. The values are assumed to be valid yaml and will be converted using [yaml.load\(\)](#).

Usage

```
parse_arguments(arguments = NULL)
```

Arguments

arguments	A vector of command line arguments. When NULL (the default), the command line arguments received by the current R process are used.
-----------	---

 parse_flags

Parse Configuration Flags for a TensorFlow Application

Description

Parse configuration flags for a TensorFlow application. Use this to parse and unify the configuration(s) specified through a `flags.yml` configuration file, alongside other arguments set through the command line.

Usage

```
parse_flags(config = Sys.getenv("R_CONFIG_ACTIVE", unset = "default"),
            file = "flags.yml", arguments = commandArgs(TRUE))
```

Arguments

<code>config</code>	The configuration to use. Defaults to the active configuration for the current environment (as specified by the <code>R_CONFIG_ACTIVE</code> environment variable), or default when unset.
<code>file</code>	The configuration file to read.
<code>arguments</code>	The command line arguments (as a character vector) to be parsed.

Value

A named R list, mapping configuration keys to values.

Examples

```
## Not run:
# examine an example configuration file provided by tensorflow
file <- system.file("examples/config/flags.yml", package = "tensorflow")
cat(readLines(file), sep = "\n")

# read the default configuration
FLAGS <- tensorflow::parse_flags("default", file = file)
str(FLAGS)

# read the alternate configuration: note that
# the default configuration is inherited, but
# we override the 'string' configuration here
FLAGS <- tensorflow::parse_flags("alternate", file = file)
str(FLAGS)

# override configuration values using command
# line arguments (normally, these would be
# passed in through the command line invocation
# used to start the process)
FLAGS <- tensorflow::parse_flags(
```

```

    "alternate",
    file = file,
    arguments = c("--foo=1")
  )
  str(FLAGS)

## End(Not run)

```

shape	<i>Tensor shape</i>
-------	---------------------

Description

Tensor shape

Usage

```
shape(...)
```

Arguments

... Tensor dimensions

tensorboard	<i>TensorBoard Visualization Tool</i>
-------------	---------------------------------------

Description

TensorBoard is a tool inspecting and understanding your TensorFlow runs and graphs.

Usage

```

tensorboard(log_dir, action = c("start", "stop"), host = "127.0.0.1",
  port = "auto",
  launch_browser = getOption("tensorflow.tensorboard.browser", interactive()),
  reload_interval = 5, purge_orphaned_data = TRUE)

```

Arguments

log_dir	Directories to scan for training logs. If this is a named character vector then the specified names will be used as aliases within TensorBoard.
action	Specify whether to start or stop TensorBoard (TensorBoard will be stopped automatically when the R session from which it is launched is terminated).
host	Host for serving TensorBoard

port	Port for serving TensorBoard. If "auto" is specified (the default) then an unused port will be chosen automatically.
launch_browser	Open a web browser for TensorBoard after launching. Defaults to TRUE in interactive sessions. When running under RStudio uses an RStudio window by default (pass a function e.g. <code>utils::browseURL()</code> to open in an external browser). Use the <code>tensorflow.tensorboard.browser</code> option to establish a global default behavior.
reload_interval	How often the backend should load more data.
purge_orphaned_data	Whether to purge data that may have been orphaned due to TensorBoard restarts. Disabling <code>purge_orphaned_data</code> can be used to debug data disappearance.

Details

When TensorBoard is passed a `logdir` at startup, it recursively walks the directory tree rooted at `logdir` looking for subdirectories that contain tfevents data. Every time it encounters such a subdirectory, it loads it as a new run, and the frontend will organize the data accordingly.

The TensorBoard process will be automatically destroyed when the R session in which it is launched exits. You can pass `action = "stop"` to manually terminate TensorBoard.

Value

URL for browsing TensorBoard (invisibly).

tensorflow

TensorFlow for R

Description

TensorFlow is an open source software library for numerical computation using data flow graphs. Nodes in the graph represent mathematical operations, while the graph edges represent the multidimensional data arrays (tensors) communicated between them. The flexible architecture allows you to deploy computation to one or more CPUs or GPUs in a desktop, server, or mobile device with a single API.

Details

The **TensorFlow API** is composed of a set of Python modules that enable constructing and executing TensorFlow graphs. The `tensorflow` package provides access to the complete TensorFlow API from within R.

For additional documentation on the `tensorflow` package see <https://tensorflow.rstudio.com>

tf *Main TensorFlow module*

Description

Interface to main TensorFlow module. Provides access to top level classes and functions as well as sub-modules (e.g. `tf$nn`, `tf$contrib$learn`, etc.).

Usage

```
tf
```

Format

TensorFlow module

Examples

```
## Not run:
library(tensorflow)

hello <- tf$constant('Hello, TensorFlow!')
zeros <- tf$Variable(tf$zeros(shape(1L)))

sess <- tf$Session()
sess$run(tf$global_variables_initializer())

sess$run(hello)
sess$run(zeros)

## End(Not run)
```

`tfe_enable_eager_execution`
Enables, for the rest of the lifetime of this program, eager execution.

Description

If not called immediately on startup risks creating breakage and bugs.

Usage

```
tfe_enable_eager_execution(config = NULL, device_policy = c("explicit",
  "warn", "silent"))
```

Arguments

config	(Optional) A <code>tf\$ConfigProto()</code> protocol buffer with configuration options for the Context. Note that a lot of these options may be currently unimplemented or irrelevant when eager execution is enabled.
device_policy	(Optional) What policy to use when trying to run an operation on a device with inputs which are not on that device. Valid values: "explicit": raises an error if the placement is not correct. "warn": copies the tensors which are not on the right device but raises a warning. "silent": silently copies the tensors. This might hide performance problems.

Details

After eager execution is enabled, operations are executed as they are defined and tensors hold concrete values, and can be accessed as R matrices or arrays with `as.matrix()`, `as.array()`, `as.double()`, etc.

Examples

```
## Not run:

# load tensorflow and enable eager execution
library(tensorflow)
tfe_enable_eager_execution()

# create a random 10x10 matrix
x <- tf$random_normal(shape(10, 10))

# use it in R via as.matrix()
heatmap(as.matrix(x))

## End(Not run)
```

tf_extract_opts	<i>Tensor extract options</i>
-----------------	-------------------------------

Description

Tensor extract options

Usage

```
tf_extract_opts(style = getOption("tensorflow.extract.style"), ...,
  one_based = getOption("tensorflow.extract.one_based", TRUE),
  inclusive_stop = getOption("tensorflow.extract.inclusive_stop", TRUE),
  disallow_out_of_bounds = getOption("tensorflow.extract.dissallow_out_of_bounds",
  TRUE),
  warn_tensors_passed_asis = getOption("tensorflow.extract.warn_tensors_passed_asis",
```

```

    TRUE),
    warn_negatives_pythonic = getOption("tensorflow.extract.warn_negatives_pythonic",
    TRUE))

```

Arguments

style	one of NULL (the default) "R" or "python". If supplied, this overrides all other options. "python" is equivalent to all the other arguments being FALSE. "R" is equivalent to warn_tensors_passed_asis and warn_negatives_pythonic set to FALSE
...	ignored
one_based	TRUE or FALSE, if one-based indexing should be used
inclusive_stop	TRUE or FALSE, if slices like start:stop should be inclusive of stop
disallow_out_of_bounds	TRUE or FALSE, whether checks are performed on the slicing index to ensure it is within bounds.
warn_tensors_passed_asis	TRUE or FALSE, whether to emit a warning the first time a tensor is supplied to [] that tensors are passed as-is, with no R to python translation
warn_negatives_pythonic	TRUE or FALSE, whether to emit a warning the first time a negative number is supplied to [] about the non-standard (python-style) interpretation

Value

an object with class "tf_extract_opts", suitable for passing to [] . tensorflow . tensor ()

Examples

```

## Not run:
x <- tf$constant(1:10)

opts <- tf_extract_opts("R")
x[1, options = opts]

# or for more fine-grained control
opts <- tf_extract_opts(
  one_based = FALSE,
  warn_tensors_passed_asis = FALSE,
  warn_negatives_pythonic = FALSE
)
x[0:2, options = opts]

## End(Not run)

```

train	<i>Train a Model</i>
-------	----------------------

Description

Train a model object. See implementation in the [tfestimators](#) package.

Usage

```
train(object, ...)
```

Arguments

object	A trainable R object.
...	Optional arguments passed on to implementing methods.

Implementations

- [tfestimators](#)

train_and_evaluate	<i>Simultaneously Train and Evaluate a Model</i>
--------------------	--

Description

Train and evaluate a model object. See implementation in the [tfestimators](#) package.

Usage

```
train_and_evaluate(object, ...)
```

Arguments

object	An R object.
...	Optional arguments passed on to implementing methods.

Implementations

- [tfestimators](#)

use_session_with_seed *Use a session with a random seed*

Description

Set various random seeds required to ensure reproducible results. The provided seed value will establish a new random seed for R, Python, NumPy, and TensorFlow. GPU computations and CPU parallelism will also be disabled by default.

Usage

```
use_session_with_seed(seed, disable_gpu = TRUE, disable_parallel_cpu = TRUE,  
  quiet = FALSE)
```

Arguments

seed	A single value, interpreted as an integer
disable_gpu	TRUE to disable GPU execution (see <i>Parallelism</i> below).
disable_parallel_cpu	TRUE to disable CPU parallelism (see <i>Parallelism</i> below).
quiet	TRUE to suppress printing of messages.

Details

This function must be called at the very top of your script (i.e. immediately after `library(tensorflow)`, `library(keras)`, etc.). Any existing TensorFlow session is torn down via `tf$reset_default_graph()`.

This function takes all measures known to promote reproducible results from TensorFlow sessions, however it's possible that various individual TensorFlow features or dependent libraries escape its effects. If you encounter non-reproducible results please investigate the possible sources of the problem, contributions via pull request are very welcome!

Packages which need to be notified before and after the seed is set can register for the "tensorflow.on_before_use_session" and "tensorflow.on_use_session" hooks (see [setHook\(\)](#) for additional details on hooks).

Value

TensorFlow session object, invisibly

Parallelism

By default the `use_session_with_seed()` function disables GPU and CPU parallelism, since both can result in non-deterministic execution patterns (see <https://stackoverflow.com/questions/42022950/>). You can optionally enable GPU or CPU parallelism by setting the `disable_gpu` and/or `disable_parallel_cpu` parameters to `FALSE`.

Examples

```
## Not run:
library(tensorflow)
use_session_with_seed(42)

## End(Not run)
```

view_savedmodel	<i>View a Saved Model</i>
-----------------	---------------------------

Description

View a serialized model from disk.

Usage

```
view_savedmodel(model_dir)
```

Arguments

model_dir The path to the exported model, as a string.

Value

URL for browsing TensorBoard (invisibly).

[.tensorflow.tensor	<i>Subset tensors with [</i>
---------------------	------------------------------

Description

Subset tensors with [

Usage

```
## S3 method for class 'tensorflow.tensor'
x[... , drop = TRUE,
  style = getOption("tensorflow.extract.style"),
  options = tf_extract_opts(style)]
```

Arguments

x	Tensorflow tensor
...	slicing specs. See examples and details.
drop	whether to drop scalar dimensions
style	One of "python" or "R".
options	An object returned by tf_extract_opts()

Examples

```
## Not run:
sess <- tf$Session()

x <- tf$constant(1:15, shape = c(3, 5))
sess$run(x)
# by default, numerics supplied to `...` are interpreted R style
sess$run( x[,1] )# first column
sess$run( x[1:2,] ) # first two rows
sess$run( x[,1, drop = FALSE] )

# strided steps can be specified in R syntax or python syntax
sess$run( x[, seq(1, 5, by = 2)] )
sess$run( x[, 1:5:2] )
# if you are unfamiliar with python-style strided steps, see:
# https://docs.scipy.org/doc/numpy-1.13.0/reference/arrays.indexing.html#basic-slicing-and-indexing

# missing arguments for python syntax are valid, but they must be backticked
# or supplied as NULL
sess$run( x[, `::2`] )
sess$run( x[, NULL:NULL:2] )
sess$run( x[, `2:`] )

# Another python features that is available is a python style ellipsis `...`
# (not to be confused with R dots `...`)
# a all_dims() expands to the shape of the tensor
y <- tf$constant(1:(3^5), shape = c(3,3,3,3,3))
identical(
  sess$run( y[all_dims(), 1] ),
  sess$run( y[,,,1] )
)

# tf$newaxis are valid
sess$run( x[,, tf$newaxis] )

# negative numbers are always interpreted python style
# The first time a negative number is supplied to `[`, a warning is issued
# about the non-standard behavior.
sess$run( x[-1,] ) # last row, with a warning
sess$run( x[-1,] )# the warning is only issued once

# specifying `style = 'python'` changes the following:
```

```
# + zero-based indexing is used
# + slice sequences in the form of `start:stop` do not include `stop`
#   in the returned value
# + out-of-bounds indices in a slice are valid

# The style argument can be supplied to individual calls of `[` or set
# as a global option

# example of zero based indexing
sess$run( x[0, , style = 'python'] ) # first row
sess$run( x[1, , style = 'python'] ) # second row

# example of slices with exclusive stop
options(tensorflow.extract.style = 'python')
sess$run( x[, 0:1] ) # just the first column
sess$run( x[, 0:2] ) # first and second column

# example of out-of-bounds index
sess$run( x[, 0:10] )
options(tensorflow.extract.style = NULL)

# slicing with tensors is valid too, but note, tensors are never
# translated and are always interpreted python-style.
# A warning is issued the first time a tensor is passed to `[`
sess$run( x[, tf$constant(0L):tf$constant(2L)] )
# just as in python, only scalar tensors are valid
# https://www.tensorflow.org/api\_docs/python/tf/Tensor#\_\_getitem\_\_

# To silence the warnings about tensors being passed as-is and negative numbers
# being interpreted python-style, set
options(tensorflow.extract.style = 'R')

# clean up from examples
options(tensorflow.extract.style = NULL)

## End(Not run)
```


Index

*Topic **datasets**

- tf, [9](#)
- [.tensorflow.tensor, [14](#)

- all_dims, [2](#)
- as.array(), [10](#)
- as.double(), [10](#)
- as.matrix(), [10](#)

- evaluate, [3](#)
- export_savedmodel, [3](#)

- install_tensorflow, [4](#)
- install_tensorflow(), [5](#)
- install_tensorflow_extras, [5](#)

- keras, [3, 4](#)

- parse_arguments, [5](#)
- parse_flags, [6](#)

- setHook(), [13](#)
- shape, [7](#)

- tensorboard, [7](#)
- tensorflow, [8](#)
- tensorflow-package (tensorflow), [8](#)
- tf, [9](#)
- tf_extract_opts, [10](#)
- tfe_enable_eager_execution, [9](#)
- tfestimators, [3, 4, 12](#)
- train, [12](#)
- train_and_evaluate, [12](#)

- use_session_with_seed, [13](#)
- utils::browseURL(), [8](#)

- view_savedmodel, [14](#)

- yaml.load(), [5](#)